
# TRUSOL MARBLES

VANITY TOPS | COUNTERSTOPS | SHOWER | WALLS CLADDING

RESIDENTIAL & COMMERCIAL APPLICATIONS






### Marble Collection



### Marble Collection



TRUSOL MARBLES 04 TRUSOL MARBLES 05



# MARBLE COLLECTION










TRUSOL MARBLES 06 TRUSOL MARBLES 07








TRUSOL MARBLES 08 TRUSOL MARBLES 09

COFFEE BEAN TSM-412

UNIVERSE

TSM-014

### CRYSTAL COLLECTION



ADAMANTINE TSM-1217

**AKRILIGHT** 

TSM-054

NOBLEGOLD TSM-055

### CLASSIC COLLECTION






TRUSOL MARBLES 10 TRUSOL MARBLES 11

SMALL CHIP COLORS

### CLASSIC COLLECTION



### CLASSIC COLLECTION








TRUSOL MARBLES 12 TRUSOL MARBLES 13



## **CLASSIC COLLECTION**

























Cocoa Brown TSM-A7015

# TRUSOL®

### PRODUCT SPECIFICATION SHEET

### PRODUCT DESCRIPTION


Trusol Marble ia a unique pure natural solid surface that ia ideal for residential and commercial applications.

PRODUCT PERFORMANCE DATA

PROPERTIES	TYPICAL RESULTS	TEST PROCEDURE
Barcol Hardness	57	ASTM D2583-13a
Water Absorption	0.058%	ASTM D570-98(2010 )
Ball Impact Resistance	>2400MM	NEMA LD3: 2005 Secion 3.8
Flexural Strength	62.3MPa	ASTM D790-10 Procedure A
Flexural Modulus	9154MPa	ASTM D790-10 Procedure A
High Temperature Resistance	No Effect	NEMA LD3: 2005 Secion 3.6(hot wax method)
Stain Resistance	Passing Rate 4	ANSI Z124.3-2005 Section 5.2
Gloss	76-81	NEMA Standards Publication LD 3-2005 Section 3.
Light Ageing Test-Xenon-arc Exposure	No effect	NEMA Standards Publication LD 3-2005 Section 3.
Izod Notched Impact Strength	4J/m	ASTM D256-10 Method C
Tensile Modulus	10600MPa	ASTM D368-14
Tensile Strength	41.9MPa	ASTM D368-14
Coefficient of Linear Thermal Expansion	31.01*10-6/°C	ASTM D696-08
Antimicrobial Activity Test	1 Grade	ASTM G 21-13

### **Dimensions**

Properties	Unit	Specification
Thickness	mm	6.0,12.0,19.0,25.0±0.3
Length	mm	2440,3050,3660/-6~+13
Width	mm	$760 \pm 1.6,930 \pm 1.6$
Warp	mm	Less than 2(width)
Corner angle	mm	Less than 3.2
Corner damage	mm	Less than 5.0



TRUSOL MARBLES 14 TRUSOL MARBLES 15



www.trusolbathware.com

TRUSOLBATHWARE (THAILAND) CO., LTD. Bhiraj Sathorn, South Sathorn Road, Yannawa, Sathorn, Bangkok 10120

Tel: 02 249 4929

E-Mail: Trusolbathware@gmail.com

: Trusol

¶⊚⊚: Trusolbathware